

CREATE FLAWLESS ACCOYA® DECK WITH HARDWOOD CLIP®

WOOD DECKS:
A REVOLUTIONARY HIDDEN
FASTENING SYSTEM




ACCOYA® WOOD IS PRODUCED FROM SUSTAINABLY SOURCED, FAST GROWING SOFTWOOD USING A MODIFICATION PROCESS FROM THE SURFACE TO THE CORE

The result: a durable, dimensionally stable and beautiful material with the performance characteristics of the most durable tropical hardwoods, but offering industry-leading environmental credentials.

THE BENEFITS OF ACCOYA®

-  OUTSTANDING DURABILITY
-  CONSISTENT QUALITY THROUGHOUT
-  UV RESISTANT
-  DIMENSIONALLY STABLE
-  RETAINED STRENGTH & HARDNESS
-  NATURALLY INSULATING
-  INSECT BARRIER
-  PERFECT FOR COATING
-  NATURALLY BEAUTIFUL WOOD
-  FROM SUSTAINABLE SOURCES
-  EXCELLENT MACHINABILITY
-  NON-TOXIC & RECYCLABLE





A REVOLUTIONARY HIDDEN FASTENING SYSTEM

Designed more than 10 years ago, HardWood Clip® represents a true revolution in the field of hidden fastening systems for wood decks. The innovation lies in the unique 45° screwing process, as well as in the use of two highly efficient materials, combined to guarantee resistance, rigidity, absorbency and durability.

HardWood Clip® is the most advanced and efficient fastening system for wood decks on the market thanks to exclusive and outstanding technical properties.

HardWood Clip® invisible fasteners guarantee high-end aesthetics, flawless finish and unequalled safety over time.

Patented, HardWood Clip® is the only hidden fastening system to have received an Agreement Technique ATG with certification and to have been the subject of a technical evaluation vouching for its compliance with the requirements of standard NF DTU 51.4 on fastenings for decking boards.

THE BENEFITS OF HARDWOOD CLIP®

- High hardness AISI 304 stainless steel reinforcement.
- High-performance plastic resin shell.
- Direct screwing of deck boards into the joists through fastening.
- Integrated spacer, available in 3 sizes for a 3-mm, 5-mm or 7-mm gap between deck boards.
- Exclusive SPA-X® self-tapping screw* in very high quality A2 (AISI 304) stainless steel, Antique colour.
- Black anti-reflective finish.
- Symmetrical grooved profile allowing the boards to be reversible.
- Suitable for decks and cladding.



High-performance plastic resin shell

Integrated spacer

High hardness stainless steel reinforcement

Stainless steel A2 (AISI 304), Antique colour



ABOUT NOVLEK®

NOVLEK® is a brand by Archiwood, a modern company that designs and manufactures unique, innovative and highly efficient products for the construction of wood decks and cladding.



NOVLEK® products are developed by a multidisciplinary team of experts not only to stand the test of time but to make the life easier for users. Each component is closely studied and its manufacture relies on the best materials and most advanced technologies.

Permanent innovation as well as uncompromising requirements allow to constantly improve the performance of products to provide users with products that suit their needs, are easy to install, efficient, reliable, durable and guarantee the long-term stability of the finished product.

The quality and reliability of NOVLEK® products are the result of a long development process and stringent tests carried out in the lab as well as in situ.



* In compliance with DTU 51.4 requirements regarding fasteners



QUICK AND EASY INSTALLATION OF WOOD DECKS

Fast and easy to install, the Hardwood Clip® fastening system allows to save at least 40% installation time (without structure) compared to traditional installations, while offering greater durability and safety.

With its self-tapping and invisible SPAX® screw, Hardwood Clip® eliminates the need for pre-drilling holes and counter-sinking, required for traditional installations with visible screws. The CUT point and patented profile of the SPAX® screw thread guarantee precision cutting and penetration speed, without any risk of wood splitting.

The integrated spacer into the fastener guarantees the automatic and regular spacing of the boards during installation.

The boards' grooved profile is straightforward and reversible. It can be created in the workshop across the entire length of the boards, or during installation, by means of a (Lamello® type) biscuit jointer.

The quality, functionality and performance of each of the components in the Hardwood Clip® fastening system help to make the users' job easier.

Quick and easy installation !

Automatic and regular spacing between boards thanks to integrated spacer.

Self-tapping SPAX® screw does not require pre-drilling !

Preserves the integrity of the wood.

Board replacement possible.

Delivered in full installation kit including all the components for a high-quality installation.



For a quality finish, respect the supplied installation instructions and requirements of the standards in force.

ACCOYA® AND HARDWOOD CLIP®

Hardwood Clip® is perfectly suitable for outdoor use with Accoya®.

The use of high-grade stainless steel, AISI 304 for its reinforcement and for the screw (A2), perfectly satisfies the requirements formulated by Accoya® in terms of the fastenings' resistance to corrosion.

Used with Accoya®, Hardwood Clip® fasteners allow to reduce spaces between boards to 3 mm, thanks to its exceptional dimensional stability.

Accoya® is also the only wood stable enough for the problem-free installation of 200-mm boards using the Hardwood Clip® invisible fastening system.



DURABLE, STABLE AND SUSTAINABLE



Tel: +32 477 55 28 75
Fax: +32 2 791 93 07
info@novlek.com
www.novlek.com

Accoya® and the Trimarque Device are registered trademarks owned by Titan Wood Limited, a wholly owned subsidiary of Accsys Technologies PLC, and may not be used or reproduced without written permission. // Accoya® wood should always be installed and used in accordance with the written instructions and guidelines of Accsys Technologies and/or its agents (available upon request). // Accsys Technologies accepts no liability for any defect, damage or loss that may occur where such written instructions and guidelines are not adhered to.



Hardwood Clip® fasteners should always be installed and used in accordance with the written instructions and guidelines of Archiwood and/or its agents (available upon request). Archiwood accepts no liability for any defect, damage or loss that may occur where such written instructions and guidelines are not adhered to. // PATENT PENDING

The information contained within this document has not been independently verified, and no warranty (express or implied) or representation is given in respect of the same, including without limitation as to its accuracy, completeness or fitness for any purpose. Accsys Technologies, Archiwood and their affiliates, officers, employees or advisers expressly disclaim any liability to the fullest extent permitted by law for any loss or damage whatsoever arising in respect of such information or the result of having acted upon it.