



# SUN WOOD ABOUT US

Historic reclaimed wood from the Alps, colorful planks from Caribbean beach huts or gigantic redwood trees from the USA: At SUN WOOD, we collect the most beautiful woods from all over the world and make them available for creative room solutions.

We have developed an innovative production process that allows us to reproduce the look and feel of these woods faithfully on local wood.



#### COLLECT

We've been collecting the most beautiful woods from all over the world for over 15 years. These serve as a template for the many SUN WOOD designs.



#### **DIGITALIZATION**

We digitize these woods in-house with our large format scanner and use the high-resolution data for the unique SUN WOOD reproduction and finishing process.



#### REPRODUCE

First, we give our main product - the 3-layer panel made from local spruce wood - a feel that is true to the original.

Then we reproduce the authentic look using innovative printing technology.

# THAT'S WHAT MAKES US SPECIAL.

At SUN WOOD, we have made it our mission to make unique woods accessible for creative room solutions. We reproduce the most beautiful woods in the world on a variety of substrates, offering versatile product solutions for individual projects.



From architects, shopfitters and exhibition stand builders to hoteliers, joiners and carpenters - we serve a wide range of industries with our products. An international dealer network guarantees rapid availability and low transportation costs.





You can find more information about our process, our designs and much more on our website at www.stainer-sunwood.com





# **CONTENTS**

# **SUPPORTING MATERIALS**

3-layer-panel	06
Profile boards	07
Tongue & groove boards	07
Chipboard	08
Plywood panel	08
Veneer	80
Wood beams	09
Parquet flooring	09
Acoustic panels	10
Lightweight panels	12
Lamella	14
Furniture Linoleum	16

# **DESIGNS**

Innovations	20
Concrete Designs	22
Reclaimed wood Designs	24
Oak wood Designs	30
Color Designs	31
Fruit Designs	32
Nature Designs	33
Service & Contact	34


















CONCRETE DESIGNS







**SUPPORTING MATERIALS** 

# **SUPPORTING MATERIALS**

### **3-LAYER PANEL**

SUN WOOD 3-layer panels made of domestic spruce are ideal for creative wall and ceiling cladding, for store and exhibition stand construction, for furniture production or even as a temporary floor panel.





# WOOD FROM SUSTAINABLE FORESTRY

As the basis for our products, we use only wood from our home region as the basis for our products and support ecologically, economically and socially sustainable forestry with the PEFC certificate.



# FREE FROM PESTS AND POLLUTANTS

Unlike their originals, SUN WOOD products are free from pesticides, free from woodworms and free from harmful substances



#### 100% HAND CHOPPED

Every single one of our products is unique, because a lot of manual work goes into it! Before we apply the desired SUN WOOD design, the surface is chopped and/or brushed by hand.



# LARGE FORMATS PERMANENTLY AVAILABLE

We refine all types of wooden beam materials. Wooden beams measuring up to 15 m, panels measuring 6 x 2 m or individual special formats are no problem for us. We also guarantee the long-term availability of our designs.



#### **VERSATILE USE**

Optional certifications make the panels ready for use in saunas, shipbuilding or in public areas that require a fire protection class.

### **FACTS**

#### Material

3-layered spruce wood

#### Design

one-sided (optional on both sides)

#### Surface

chopped or brushed

#### Surface protection

protective coating with brushed surface

#### Formats

6.000 x 2.050

5.000 x 2.050 | 1.250 mm

2.990 x 2.050 mm

2.500 x 1.250 mm

1.990 x 1.020 mm

(Compact solution = panel cutting optimized for shipping or special cuts on request)

#### Thickness

19 mm (further thicknesses on request)

#### Extras

panels on request also available with tongue and groove

#### **FURTHER CERTIFICATIONS**

#### Fire protection

DIN EN 13 501-1 B-s2, d0 (Europe), CAN/ULC-S102 (Canada), ASTM85 (USA)

#### Format fire protection panel

2.990 x 1.250 mm

#### Sauna

ÖNORM EN ISO 12460-3

#### Format sauna panel

5.000 | 2.490 mm x 2.030 mm

#### Shipbuilding

International Maritime Organization
IMO Res. MSC. 307(88) FTP Code 2010

#### Format shipbuilding panel

2.990 x 1.250 mm

#### Optional

Also available in fiber cement with veneer in class A2



## **PROFILE BOARD**

#### Material

3-layer spruce wood, profiled on 4 sides

#### Design

one-sided

#### Surface

chopped or brushed

#### Format | Deck size

2.350 x 280 mm | 2.340 x 270 mm

#### Thickness

19 mm

#### Packaging unit

3 pieces

#### Usable area per packaging unit

1,89 m<sup>2</sup>

#### Certification



# TONGUE & GROOVE BOARD

#### Material

solid spruce wood

#### Design

one-sided

#### Surface

chopped or brushed, slit back

#### Deck width

185, 225 mm, spring dimension + approx. 10 mm

#### Length

5.000 mm

#### **Thickness**

23 mm

### Usable area per packaging unit

5 piece / 4,63 m<sup>2</sup> | 5,63 m<sup>2</sup>

#### Certification

PEFC



## **CHIPBOARD**

#### **Material**

high quality chipboard

#### Design

one-sided (optional on both sides)

#### Oberfläche

spruce veneer (0,9 mm) brushed, smooth back

#### Surface protection

furniture protective lacquur

#### Format

2.800 x 2.070 mm

#### Thickness

19 mm



## **PLYWOOD PANEL**

plywood panel

smooth or brushed. smooth back

#### **Formats**

2.520 x 1.720 (smooth) 2.500 x 1.700 mm (brushed)

### Thickness

4 mm (smooth)

6 mm (brushed)





## **VENEER EDGES**

#### Spruce veneer (roll material)

24 x 1 mm

per roll 50 linear meters

#### ABS plastic edges (roll material)

23 x 1 mm

per roll 50 linear meters

#### Material

#### Design

one-sided (optional on both sides)

#### Surface





# **SHEET VENEER**

#### Birch veneer

2.500 x 1.240 x ca. 0,6 mm smooth surface

#### spruce veneer

3.000 x 280 x ca. 0,9 mm surface slightly brushed



ALL INFORMATION

ABOUT THE PRODUCT

CAN BE FOUND HERE:

en/wood-beams

## **WOOD BEAMS**

#### Material

glulam made from spruce

#### Design

1 to 4-sided as required

#### Surface

chopped or brushed

#### **Formats**

all formats are available on our website

#### Length

up to 15 m

#### **Additional service**

design also possible on provided CNC-milled wooden beams

# **SELF-ADHESIVE WOOD VENEER**

#### Material

spruce veneer in 0,9 mm

#### Surface

slightly brushed

#### Format

2.100 x 280 mm

(Other lengths up to 3,200 mm available on request)

#### Thickness total

1,9 mm

#### **Backside**

full-surface adhesive tape 1 mm

#### Montage

for bonding to smooth surfaces



## **PARQUET**

#### Material

3-layer parquet with oak top layer 3,6 mm

slightly brushed with protective lacquer

### **Format**

2.200 x 222 mm

### **Thickness**

14 mm

### Packaging unit

6 boards (2,93 m<sup>2</sup>)

#### Area of application

suitable for underfloor heating

#### **Available accessories**

matching skirting boards for available for every design

#### Certification

ÖNORM C2354, DIN EN 14342





# **ACOUSTIC PANELS**

Reclaimed wood, oak, concrete or BURNT WOOD - over 100 different designs are available on acoustic panels from a wide range of manufacturers. Do you use acoustic panels from your own manufacturer? No problem! Choose from our wide range of highquality SUN WOOD designs and let us refine them for you!

#### **POSSIBLE MANUFACTURERS**

- ADMONTER
- BURKE ACOUSTICS
- HARO AKUSTIK
- LIGNOTREND

NOTE



Manufacturer

HARO AKUSTIK

**Format** 

2.200 x 192 x 38 mm

Material

silver fir



Manufacturer


LIGNOTREND

**Format** 

2.940 x 625 x 33 mm

Material

silver fir vivid



Manufacturer

**BURKE ACOUSTICS** 

**Format** 

2.940 x 1.200 x 20 mm

Material

silver fir finger-jointed



Manufacturer

**BURKE ACOUSTICS** 

**Format** 

2.940 x 192 x 20 mm

Material

silver fir finger-jointed



ADMONTER

**Format** 

2.400 x 244 x 19 mm

Material

solid wood panel grooved all round



Manufacturer

ADMONTER

**Format** 

2.390 x 200 x 33 mm

Material

solid wood top layer 30 mm sinusoidal honeycomb

# **LIGHTWEIGHT PANELS**


Reclaimed wood, oak, concrete or BURNT WOOD - over 100 different designs are available on lightweight panels from a wide range of manufacturers. Do you use lightweight panels from your own manufacturer?

No problem! Choose from our wide range of high-quality SUN WOOD designs and let us refine them for you!

NOTE

We are not a manufacture
of lightweight panels. We
refine lightweight panels
from all well-known manufacturers with our designs.









**Manufacturer**PYRUS PANELS

Format

2.440 x 1.220 x 19 mm

Material

plywood top layer

Weight

3,2 kg/m<sup>2</sup>



## SWEDBOARD® Fibre Premium

Manufacturer

SWEDBOARD®

Format

3.050 x 2.030 x 16 mm

Material

paper-based hard cardboard

Weight

2,4 kg/m<sup>2</sup>

12

## **LAMELLA**

One material - infinite possibilities!

Whether as privacy or wall protection, flexible cladding on walls, pillars, edges or simply as a decorative element – Lamella adapts effectively and easily to the desired surface. With its fine lamellae, this unique material offers an aesthetically pleasing surface that can be customized according to your wishes using the SUN WOOD designs. An ingenious material that will be the highlight of your interior project!

AVAILABLE IN ALL SUN WOOD DESIGNS AND SOLID COLORS (ON REQUEST)

LAMELLA AS FLEXIBLE SUPPORTING MATERIAL





#### **FACTS**

#### Lamella width

approx. 5 mm | LTECH models 15 mm

#### Lamella thickness

approx. 2,2 mm

#### Available widths

up to 10 m (roll material)

#### Minimum order


1 linear meter

#### Extras

cut to size and self-adhesive backing available on request

#### Montage

wall covering adhesive, spray adhesive or double-sided adhesive tape installation according to website



**OPTIONAL** connecting strip



**OPTIONAL** closing strip

# MATERIAL LAMELLA





AVAILABLE IN ALL SUN WOOD DESIGNS

#### LAMELLA ON CHIPBOARD

**FACTS** 

#### Material

chipboard with Lamella top layer

#### **Format**

2.420 x 1.250 x 19 mm

#### Backside

back with counter film or veneer

#### Design

both sides possible with Lamella in 22 mm

#### Extras

cutting and edging for furniture components available on request

#### **Edges**

edging possible with ABS or veneer edges



# FLEXIBLE SUPPORTING MATERIAL

Whether wave shapes, edges or curves - Lamella adapts flexibly to its substrate.



#### INDIVIDUAL DESIGN

Choose from our versatile range of SUN WOOD designs - so that Lamella fits perfectly into your room concept!



#### **EASY INSTALLATION**

Thanks to its lightweight design, Lamella is easy to install easy to install and suitable for a variety of surfaces.



# SIMPLE, FAST & AFFORDABLE SHIPPING

Lamella is easy to transport in roll form - this saves time and and above all space!



# LENGTH ON REQUEST

Lamella is available by the meter – so lengths of up to 10 m are are no problem for us!

# FURNITURE LINOLEUM

We use furniture linoleum from FORBO and refine the surface. Using scratch-resistant color lacquering, we create UNI color tones, wood designs and much more for the furniture industry. The feel of the product remains almost original.



#### Standard formats

3.050 x 1.830 x 2 mm 1.000 x 1.830 x 2 mm (+ / - 10 mm tolerance)

Further formats available on request

#### Weight

approx. 2,11 kg  $/ m^2$ 

#### Minimum order

1 sheet

#### **Extras**

cut to size possible, optionally available with double-sided adhesive backing, for formats see website

All Forbo solid colors can also be ordered with matt transparent anti-fingerprint protective lacquer. This protects the forbo from everyday dirt such as ketchup, mustard, coffee, red wine, olive oil, etc. and makes it easy to clean. Slight color variations might occur. Any format up to approx. 3 m is available.

#### Shipping

On pallet or single rolled in carton



YOU CAN FIND ALL OUR DESIGNS ON OUR WEBSITE

# DESIGN // BURNT WOOD FO 19



### **PROCESSING**

# Roll up sheet material only at room temperature

#### Preparation

Acclimatize the material for about 24 hours before cutting it. Cut back the edge evenly on both sides to obtain a width of 183 cm.

#### Note

Furniture Linoleum is made from renewable raw materials, so there may be slight color variations in different batches. This should be taken into account when reordering.



Scan here for further product information!

# DESIGN // WEISS FO 9003




16





RECLAIMED WOOD DESIGNS



CONCRETE DESIGNS



OAK WOOD - & MORE DESIGNS



COLOR DESIGNS



FRUIT DESIGNS



NATURE DESIGNS





# **DESIGNS**

## **BARK 810 LTECH**

### **FOREST-FEELING**

for indoors

With the new BARK 810 LTECH design, we are taking the look and feel of a tree bark reproduction to an amazingly authentic and unprecedentedly natural level. Deep structures, indentations and shapes ensure that the panels are virtually indistinguishable from original tree bark, both visually and to the touch. At the same time, they have many advantages over original bark for indoor use.

### **AVAILABLE FORMATS**

Poplar plywood 15 | 18 mm 2.520 x 920 mm

Now available on furniture linoleum!

Sauna-certified possible in the format 2,830 x 1,030 x 15 mm

Order your sample now!





// BURNT WOOD 19 LTECH

## **BURNT WOOD 19 LTECH**

#### **BURNT WOOD**

completely without fire contact

We transform wood support materials made from local spruce wood into burnt wood. With the help of the unique SUN WOOD surface treatment, the charred look and feel is faithfully reproduced in three dimensions - but without ever coming into contact with fire!

#### **AVAILABLE FORMATS**

#### 3-layer panels:

2.990 x 1.000 x 19 mm | 1.490 x 1.000 x 19 mm 1.200 x 666 x 19 mm

New Now also availble on parquet and furniture linoleum! Further supporting materials available on request.

Order your sample now!









## **CONCRETE DESIGNS**

### FLEXIBLY INTEGRABLE INTO MODERN ROOM **CONCEPTS**

SUN WOOD concrete designs combine the material properties of wood with the purist design of concrete. This makes the trendy surface accessible for versatile furnishing projects.

### **AVAILABLE FORMATS**

### **Chipboards:**

2.800 x 2.070 x 19 mm

### 3-layer panels:

2.500 x 1.250 mm | 2.990 x 2.050 mm | 5.000 x 2.050 x 19 mm


Further supporting materials, Lamella, furniture linoleum available on request.








rough & embossed



# **RECLAIMED WOOD DESIGNS**






chopped

// BLOCKWANDBOHLE 04















 $\frac{26}{27}$ 









29



# **OAK WOOD & ADDITIONAL DESIGNS**

slightly brushed

slightly rough








DESIGN

// EICHE ISTRIEN 700























# **COLOR DESIGNS**









// ROST 44

// EICHE ISTRIEN 700



# **FRUIT DESIGNS**





brushed, slightly chopped



brushed, slightly chopped



brushed, slightly chopped



brushed, slightly chopped



brushed, slightly chopped




brushed, slightly chopped




# **NATURE DESIGNS**






brushed



brushed







// PAPYRUS 315

brushed



brushed





#### **SUN WOOD** by Stainer

a brand by Stainer Schriften & Siebdruck GmbH & Co. KG

Gewerbegebiet 205  $\cdot$  5092 St. Martin bei Lofer  $\cdot$  Austria **Tel** +43 6588 8440 - 60  $\cdot$  office@stainer-sunwood.com **www.stainer-sunwood.com** 



